
Development and roll out of a community infant and young child feeding counselling package

Maaike Arts, UNICEF NYHQ

SPRING-UNICEF Webinar 9 June 2016










Introduction

Global average figures for key infant and young child feeding indicators









Development of the Community IYCF Counselling Package

- Strategic collaboration between UNICEF New York, Nutrition Policy and Practice (NPP),
 Center for Human Services, University
 Research Co (URC/CHS)
- First version published in 2010; updated in 2012
- Focus on skills building
- Training: participatory adult learning techniques for people of low literacy









Contents of the package























Program Impact Pathway/Theory of Change









Country adaptations

Participant materials West

Rench

Rench

Rench

Rench

Counselling cards Sudan (Arabic)

وزارة الصحة الإتحادية برنامج التغذية القومي رسائل تغذية الرضع وصغار الأطفال يونسيف (ع)

Facilitator's guide Uzbekistan (Uzbek)












Use of the counselling package to date





Entire UNICEF package adapted, 5-day training, without supervision module

Some elements incorporated into other packages

■ No IYCF Programme data

- UNICEF package used, but only 2–3 day training; plus supervision module
- UNICEF package used, but only 2-3 day training; without supervision module
- Package not used

Source: UNICEF NutriDash 2014








Country example: Philippines

 UNICEF demonstrated use in 4,000 of 42,000 barangays



- Evaluation among peer counsellors and mothers:
 - Peer counsellors and mothers: IYCF counseling cards and flip charts useful and easy to understand.
 - 70% of counseled mothers rated the quality of interactions with peer counselors 4 on a scale of 1-4.
 - Recommendations: add supervision/mentoring module; and expand complementary feeding aspects
- Government funded nation-wide scale up







Country example: Zimbabwe

 MOH trained 2804 CWs to facilitate IYCF support groups and follow-up 10 motherbaby pairs with individual counseling



- LQAS conducted in Bikita district (337 children 0-24m): mothers who received individual IYCF counselling and/or participated in IYCF support group >6 times more likely to breastfeed exclusively {OR 6.8, p<0.01}
- Community IYCF counselling package adapted to deliver other nutrition sensitive actions including WASH
- Funding secured to scale up to 50% of districts







Conclusions

- The community IYCF Counselling Package is innovative in training methodology and emphasis on counselling & negotiation skills
- Developing a global package that is easy to adapt, is a practical way to support countries with the development of materials

Evaluation of impact is crucial for scale up







Thank you!

With thanks to:
France Bégin (UNICEF NYHQ),
Aashima Garg (UNICEF Philippines),
Charity Zvandaziva (UNICEF Zimbabwe),
Sascha Lamstein & Peggy Koniz-Booher (SPRING),
Gideon Jones (Data Developed).

For more info, contact: iycn@unicef.org





